


Made in Holland


PITT
COOKING



Induction

Cusin-I
Top Side

Exploded view



1. **Decorative ring small**
PVD COATED ALUMINUM

2. **Decorative ring large**
PVD COATED ALUMINUM

3. **Induction zone small**
PVD COATED ALUMINUM/ CERAMIC GLASS


4. **Induction zone large**
PVD COATED ALUMINUM/ CERAMIC GLASS

5. **Control knob**
ALUMINUM/GLASS

6. **Cassette**
ALUMINUM

Induction zones


Small zone



SMALL ZONE

NOM. POWER	MAX. POWER
1400 Watt	2100 Watt
MIN. DIAM. PAN	MAX. DIAM. PAN
110 mm	210 mm

Large zone



LARGE ZONE

NOM. POWER	MAX. POWER
2300 Watt	3000 Watt
MIN. DIAM. PAN	MAX. DIAM. PAN
110 mm	250 mm

Control knob

3D-visualization of Top Side knob




3D-visualization Front Side knob




Dimensions control knob

Front view




Top view




Control knob







Bovenaanzicht / Top view



Vooraanzicht / Front view




Onderaanzicht / Bottom view



Zijaanzicht / Side view

Technical information





Installation and handling instructions



Installation manual induction



User manual induction


Made in Holland

PITT
COOKING



Induction
Cusin-I
Front Side

Exploded view



1. **Decorative ring small**
PVD COATED ALUMINUM

2. **Decorative ring large**
PVD COATED ALUMINUM

3. **Induction zone small**
PVD COATED ALUMINUM/ CERAMIC GLASS



4. **Induction zone large**
PVD COATED ALUMINUM/ CERAMIC GLASS

5. **Control knob**
ALUMINUM/GLASS



6. **Cassette**
ALUMINUM

Induction zones

Small zone



Large zone



SMALL ZONE

NOM. POWER	MAX. POWER
1400 Watt	2100 Watt
MIN. DIAM. PAN	MAX. DIAM. PAN
110 mm	210 mm

LARGE ZONE

NOM. POWER	MAX. POWER
2300 Watt	3000 Watt
MIN. DIAM. PAN	MAX. DIAM. PAN
110 mm	250 mm

Control knob

3D-visualization of Top Side knob




3D-visualization Front Side knob




Dimensions control knob

Front view




Top view




Control knob



Technical drawing




Bovenaanzicht / Top view




Vooraanzicht / Front view

Technical drawing




Onderaanzicht / Bottom view




Zijaanzicht / Side view

Hole pattern





Hole pattern DXF file

Technical information



Model	Cusin Front Side
Type zones	2x large zones, 1x small zone
Editions	Black (fully black)
Automatic pan detection	✓
Power levels	0 - 10 + Boost
Nominal voltage 1	220-240 V, 2N~
Nominal voltage 2	380-415 V, 2N~
Maximum power	6680 W
Netto weight	16 kg





Installation and handling instructions



Installation manual induction



User manual induction